

Sede: Via Antica, 24/3 33048 S. Giovanni al Nat. UD Tel. 0432.747211 r.a. Fax 0432.747250 http://www.catas.com e-mail: lab@catas.com

Filiale: Via Braille, 5 20851 Lissone MB Tel. 039.464567 Fax 039.464565 e-mail: lissone@catas.com

Date received: 01-12-11

Date of issue: 28-03-12

Report consists of 6 test reports.

Defects before testing: None

Sample name: IF BORD

INTERNATIONAL FURNITURE A/S SAVVAERKSVEJ 2, RAMTEN 8586 OERUM DJURS () DK – DENMARK

TEST REPORT Nº 137883

Overall dimensions: 1200 x 600 x 716 (h) mm

List performed tests:

- 1. School tables: dimensions EN 1729-1:2006
- 2. Tables for educational institutions. Safety requirements EN 1729-2:2012
- 3. Tables for educational institutions. Stability EN 1729-2:2012
- 4. Tables for educational institutions. Horizontal static load EN 1729-2:2012
- 5. Tables for educational institutions. Horizontal fatigue EN 1729-2:2012
- 6. Tables for educational institutions. Vertical static load EN 1729-2:2012



This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director Dr. Andrea Giaven

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.



Sede: Via Antica, 24/3 33048 S. Giovanni al Nat. UD Via Braille, 5 Tel. 0432.747211 r.a. Fax 0432.747250 http://www.catas.com e-mail: lab@catas.com

Filiale: 20851 Lissone MB Tel 039 464567 Fax 039.464565



e-mail: lissone@catas.com

TEST REPORT

137883 / 1

Date received: 01-12-11 Date of test: 20-02-12 Date of issue: 28-03-12

Sample name: IF BORD



INTERNATIONAL FURNITURE A/S SAVVAERKSVEJ 2, RAMTEN 8586 OERUM DJURS **DK - DENMARK**

School tables: dimensions EN 1729-1:2006

School tables: dimensions EN 1729-1/06 annex A clause A.2

Size mark: 5

Test results:

Table:

Symbols	Dimensions	Value requested (mm)	Value measured (mm)
h1	Height of the top	710 ± 10	716
t1	Minimum depth of top	500	600
	Minimum length of top, per person	600	1200
	Minimum horizontal distance between the front legs, per person	500	1110

Legroom:

Compiles with the minimum dimensional requirements for size mark 5.

Conformity to annex A table A.2 and A.3 of standard EN 1729-1/06:	YES

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

> Managing Director Dr. Andrea Giavon

The sample name and, when rejevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer. pag. 1/1



Sede: Via Antica, 24/3 33048 S. Giovanni al Nat. UD Via Braille, 5 Tel. 0432.747211 r.a. Fax 0432.747250 http://www.catas.com e-mail: lab@catas.com

Filiale: 20851 Lissone MB Tel 039 464567 Fax 039.464565



rdi di Mutuo Riconoscimento e-mail: lissone@catas.com

TEST REPORT

137883 / 2

Date received: 01-12-11 Date of test: 20-02-12 Date of issue: 28-03-12

Sample name: IF BORD



INTERNATIONAL FURNITURE A/S SAVVAERKSVEJ 2, RAMTEN 8586 OERUM DJURS **DK - DENMARK**

Tables for educational institutions. Safety requirements EN 1729-2:2012

Requirement	Remarks
b) Edges on the handles: minimum 2 mm radius in the direction of the force applied	No present
c) All other edges and corners with wich the user may come into contact with during normal use shall be smooth, rounded or chamfered and shall have no burrs	Yes
d) Accessible moving parts operated by powered mechanism: distance not permitted > 8 mm and < 25 mm	No present
e) With the exception of folding tables, there shall be no accessible gaps > 8 mm or < 25 mm created during normal movements and actions	Yes
f) Adjustment controls shall not operate inadvertently or accidentally	No present
g) Open ends: capped or otherwise closed	Yes
h) Parts shall not be detachable without the use of an appropriate tool	Yes
i) Parts wich are lubrificated shall be covered in order to avoid staining	No present
j) Reflection of the working surface shall be a maximum 45 gloss determined in accordance with EN 13722	Yes See test report 139191-1/2012
m) table shall not overturn when tested in accordance with EN 1730:2000 clause 6.7	Yes See test report 137883-3/2012
n) table shall show no structural failure which can affect safety when tested for strength and durability as specified in 6.2 and they shall still fulfil its function	Yes See test report 137883-4-5-6/2012

YES Conformity to clause 4 par. b, c, d, e, f, g, h, i, j, m, n of standard EN 1729-2/2012:

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer. pag. 1/1



Sede: Via Antica, 24/3 33048 S. Giovanni al Nat. UD Via Braille, 5 Tel. 0432.747211 r.a. Fax 0432.747250 http://www.catas.com e-mail: lab@catas.com

Filiale: 20851 Lissone MB Tel 039 464567 Fax 039.464565



di di Mutuo Riconoscimento

e-mail: lissone@catas.com

TEST REPORT

137883 / 3

Date received: 01-12-11 Date of test: 20-02-12 Date of issue: 28-03-12

Sample name: IF BORD



INTERNATIONAL FURNITURE A/S SAVVAERKSVEJ 2, RAMTEN 8586 OERUM DJURS **DK - DENMARK**

Tables for educational institutions. Stability EN 1729-2:2012

Tables for educational institutions. Stability EN 1729-2:2012 clause 6.1

Measured top height: 716 mm

Size mark: 5

Overall dimensions: 1200 x 600 x 716 (h) mm

Stability under vertical load EN 1729-2:2012 clause 6.1.2

Test method: EN 1730:2000 clause 6.7

Test results:

Vertical force N	Remarks
600	Table does not overturn

Conformity to clause 4 par. m of standard EN 1729-2:2012 **YES**

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

> Managing Director n Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer. pag. 1/1



Sede: Via Antica, 24/3 33048 S. Giovanni al Nat. UD Via Braille, 5 Tel. 0432.747211 r.a. Fax 0432.747250 http://www.catas.com e-mail: lab@catas.com

Filiale: 20851 Lissone MB Tel 039 464567 Fax 039.464565



e-mail: lissone@catas.com

TEST REPORT

137883 / 4

Date received: 01-12-11 Date of test: 21-02-12 Date of issue: 28-03-12

Sample name: IF BORD



INTERNATIONAL FURNITURE A/S SAVVAERKSVEJ 2, RAMTEN 8586 OERUM DJURS **DK - DENMARK**

Tables for educational institutions. Horizontal static load EN 1729-2:2012

Tables for educational institutions. Horizontal static load EN 1729-2:2012 clause 6.2.2

Test method: EN 1730:2000 clause 6.2

Measured top height: 716 mm

Size mark: 5

Overall dimensions: 1200 x 600 x 716 (h) mm

Test results:

Direction of the force	Number of cycles	Nominal force N	Vertical component N	Horizontal component N	Remarks
longitudinal	10	400	100	300	No defects
transversal	10	400	200	200	No defects

Conformity to clause 4 par. n of standard EN 1729-2:2012	YES
--	-----

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

> aging Director Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample subrhitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer. pag. 1/1



Sede: Via Antica, 24/3 33048 S. Giovanni al Nat. UD Via Braille, 5 Tel. 0432.747211 r.a. Fax 0432.747250 http://www.catas.com e-mail: lab@catas.com

Filiale: 20851 Lissone MB Tel 039 464567 Fax 039.464565



e-mail: lissone@catas.com

TEST REPORT 137883 / 5

01-12-11 Date received: Date of test: 21-02-12 Date of issue: 28-03-12

Sample name: IF BORD



INTERNATIONAL FURNITURE A/S SAVVAERKSVEJ 2, RAMTEN 8586 OERUM DJURS **DK - DENMARK**

Tables for educational institutions. Horizontal fatigue EN 1729-2:2012

Tables for educational institutions. Horizontal fatigue EN 1729-2:2012 clause 6.2.3

Test method: EN 1730:2000 clause 6.4

Measured top height: 716 mm

Size mark: 5

Overall dimensions: 1200 x 600 x 716 (h) mm

Test results:

Longitudinal direction:

Vertical load in the middle kg	Horizontal load N	Number of cycles	Remarks
50	300	10.000	No defects

Transversal direction:

Vertical load in the middle kg	Horizontal load N	Number of cycles	Remarks
50	300	10.000	No defects

Conformity to clause 4 par. n of standard EN 1729-2:2012	YES
, I	

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

lanaging Director Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer. pag. 1/1



Sede: Via Antica, 24/3 33048 S. Giovanni al Nat. UD Via Braille, 5 Tel. 0432.747211 r.a. Fax 0432.747250 http://www.catas.com e-mail: lab@catas.com

Filiale: 20851 Lissone MB Tel 039 464567 Fax 039.464565



e-mail: lissone@catas.com

TEST REPORT

137883 / 6

Date received: 01-12-11 Date of test: 29-02-12 Date of issue: 28-03-12

Sample name: IF BORD



INTERNATIONAL FURNITURE A/S SAVVAERKSVEJ 2, RAMTEN 8586 OERUM DJURS **DK - DENMARK**

Tables for educational institutions. Vertical static load EN 1729-2:2012

Tables for educational institutions. Vertical static load EN 1729-2:2012 clause 6.2.4

Test method: EN 1730:2000 clause 6.3

Measured top height: 716 mm

Size mark: 5

Overall dimension: 1200 x 600 x 716 (h) mm

Test results:

Vertical force N	Number of cycles	Remarks
1000	10	No defects
1000	10	No defects

Conformity to clause 4 par. n of standard EN 1729-2:2012	YES
Combinity to diause 4 par. If of standard LN 1723-2.2012	ILO

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director Dr. Andrea Giavon

The sample name and, when levevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer. pag. 1/1